

CLAIMS

What is claimed is:

1 1. A wall panel system for attachment to a wall, the system comprising:
2 an attachment clip;
3 means for securing the attachment clip to the wall;
4 a panel perimeter having first and second legs, the first leg held
5 between the attachment clip and the wall; and,
6 a wall panel attached to the second leg of the panel perimeter.

1 2. The system of claim 1 further including a moisture barrier disposed
2 between the wall and the attachment clip.

1 3. The system of claim 1 further including a joint closure secured to the
2 attachment clip opposite the wall.

1 4. The system of claim 1 wherein the attachment clip includes:
2 a pair of feet, at least one of the pair of feet holding the first leg of the
3 panel perimeter between the attachment clip and the wall; and,
4 a bridge spanning between the feet, the bridge fastened to the means
5 for securing.

1 5. The system of claim 1 wherein the means for securing includes a
2 fastener passing through the attachment clip and secured to the wall.

1 6. The system of claim 1 wherein the means for securing includes:
2 a sub-frame member attached to the wall between the attachment clip
3 and the wall and
4 a fastener passing through the attachment clip and secured to the sub-
5 frame member.

1 7. The system of claim 6 wherein the sub-frame member includes:

2 a pair of rims attached to the wall; and,
3 a central support between the rims, wherein the fastener is secured to
4 the sub-frame member.

1 8. The system of claim 6 further including a moisture barrier disposed
2 between the wall and the sub-frame member.

1 9. The system of claim 1 wherein the first leg of the a panel perimeter is
2 held by the attachment clip.

1 10. The system of claim 1 wherein the first leg of the panel perimeter is
2 substantially parallel to the wall.

1 11. The system of claim 1 wherein the second leg of the panel perimeter is
2 substantially perpendicular to the wall.

1 12. A wall panel system for attachment to a wall, the system comprising:
2 a sub-frame member attached to the wall;
3 an L-shaped panel perimeter;
4 a wall panel attached to the panel perimeter; and,
5 an attachment clip affixed to the sub-frame member, the attachment
6 clip securing the panel perimeter to the sub-frame member.

1 13. The system of claim 12 further including a moisture barrier disposed
2 between the wall and the sub-frame member.

1 14. The system of claim 12 further including a joint closure secured to the
2 attachment clip opposite the wall.

1 15. The system of claim 12 wherein the attachment clip includes:
2 a pair of feet, at least one of the pair of feet holding the first leg of the
3 panel perimeter between the attachment clip and the wall; and,

4 a bridge spanning between the feet, the bridge fastened to the means
5 for securing.

1 16. The system of claim 12 wherein the sub-frame member includes:
2 a pair of rims attached to the wall and
3 a central support between the rims, wherein the fastener is secured to
4 the sub-frame member.

1 17. A wall panel system for attachment to a wall, the system comprising:
2 a sub-frame member adapted for attachment to the wall;
3 a wall panel having a surface adapted to be substantially parallel with
4 the wall and having a perimeter perpendicular to the surface, said perimeter further
5 comprising a leg projecting from the perimeter; and,
6 attachment clip means disposed onto the sub-frame for securing the
7 wall panel thereto, the leg of the panel perimeter secured between the attachment
8 clip means and the sub-frame member.

1 18. The system of claim 17 further including a moisture barrier disposed
2 between the wall and the attachment clip.

1 19. The system of claim 17 wherein the attachment clip includes:
2 a pair of feet, at least one of the pair of feet holding the first leg of the
3 panel perimeter between the attachment clip and the wall; and,
4 a bridge spanning between the feet, the bridge fastened to the means
5 for securing.

1 20. The system of claim 17 wherein the sub-frame member includes:
2 a pair of rims attached to the wall; and,
3 a central support between the rims, wherein the fastener is secured to
4 the sub-frame member..